



THERMAL PRINTER UNYKAch POS4 with cable

TPV

PN: UK56008
EAN: 6974560220694



THERMAL PRINTER PS04 with cable UK56008



The new model of UNYKA^{CH} PS04 wired thermal printer is a partial cut receipt and receipt printer. It has USB, RJ12, RJ11 and LAN connections that provide full compatibility and can be used quickly and easily without complicated installations.

It is compatible with practically all operating systems on the market such as Windows, JPOS, OPOS, Linux, Android, Mac and applications developed for those systems.

SPECIFICATIONS

DIMENSIONS	178 (L) x 140 (W) x 128 (H) mm
WEIGHT	1,16 kg
COLOUR	Black
MATERIAL	Metal / Plastic
POWER SUPPLY	INPUT: AC 100-240V / 50-60HZ - OUTPUT: DC 24V/2.5A
CONNECTOR	USB / RJ 12 / RJ11 / LAN
PRINT METHOD	Direct Thermal
RINT SPEED	230 mm / sg \pm 10%
PAPER TYPE / PAPER WIDTH	Receipt / 58 mm o 80 mm
PAPER FORMAT / ROLL DIAMETER	80 mm / 76 mm / 72 mm / 64 mm / 52 mm / 48 mm
SIZE OF THE LETTER	A: 1,5 x 5,0 mm / B: 1,1 x 2,1 mm
HARACTERS PER INCH	A: 12 x 24 cpp / B: 9 x 17 cpp
POINT DENSITY	576 ppp / line (adjustable)
TYPES OF BARCODES	UPC-A / UPC-E / JAN13(EAN15) / JAN8(EAN8) / CODE59 / ITF / CODABAR / CODE93 / CODE128/ 2D Barcode QRCODE / PDF417
CUTTING UNIT	Partial
PRINT COMMANDS	ESC / POS compatible
LINE DISTANCE	3.75 mm (Ajustable)

EAN: 6974560220694
P/N: UK56008



THERMAL PRINTER PSO3 with cable UK56008

SPECIFICATIONS

COLUMN NUMBER	80 mm Paper: A - 42 columns or 48 columns B - 56 columns or 64 columns Chinese, Traditional Chinese: 21 columns or 24 columns
CHARACTERS	PC347 (European Standard) / Katakana / PC850 (Multilingual) / PC860 (Portuguese) / PC863 (Canadian-French) / PC865 (Nordic) / Western Europe / Greek / Hebrew / Eastern Europe / Iranian / WPC1252 / PC866 (Cyrillic # 2) / PC852 (Latin2) / PC858 / IranII / Latvian / Arabic / PT151 (1251)
CACHE	128 Kbytes
NV MEMORY	256 Kbytes
PRINTER INPUT	DC 24V / 2.5A
COIN DRAWER	DC 24V / 1A
USEFUL LIFE	Cortador 1.5 millones de cortes / Cabezal de la impresora 150 km
COMPATIBILITY	Windows / JPOS / OPOS / Linux / Android / Mac
TEST UTILITY	Windows / Linux
SDK	IOS / Android /Windows

PACKAGING

DIMENSIONS	284 x 170 x 180 mm
WEIGHT	1,65 kg
CUBIC CAPACITY	0,0086 m ³
COLOUR	Brown
MATERIAL	Paperboard
PACKAGE CONTENT	Printer / Manual / Drivers / Power Adapter / Cables
CERTIFICACIONES	CE / ROHS

EAN: 6974560220694
P/N: UK56008